

To: Wagner, Christine[Wagner.Christine@epa.gov] Nonresponsive based on revised scope Nonresponsive Based on Revised Scope
From: Duffy, Jessica[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=108430DC19D440FB8056DC0E55B75738-DUFFY, JESS]
Sent: Mon 4/15/2019 9:06:28 PM (UTC)
Subject: FW: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Hi Chris and Nonresponsive based on revised scope

Ex. 5 Deliberative Process (DP)

Jessica Duffy

On-Scene Coordinator
USEPA Region 3
SEMD – Preparedness and Response Branch
1650 Arch Street (3SD32)
Philadelphia, PA 19103
Office: 215-814-3212
Cell: 267-666-9251
duffy.jessica@epa.gov

From: Poff, Kevin
Sent: Monday, April 15, 2019 10:01 AM
To: Duffy, Jessica <Duffy.Jessica@epa.gov>
Subject: RE: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Thanks Jessica! I sent out a notification Friday to go to a TIER IV lab. Hope your doing great since PR ! Kevin

From: Duffy, Jessica
Sent: Monday, April 15, 2019 9:03 AM
To: Poff, Kevin <Poff.Kevin@epa.gov>
Cc: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Kevin,

Ex. 5 Deliberative Process (DP)

Jessica Duffy

On-Scene Coordinator
USEPA Region 3
SEMD – Preparedness and Response Branch
1650 Arch Street (3SD32)
Philadelphia, PA 19103
Office: 215-814-3212
Cell: 267-666-9251
duffy.jessica@epa.gov

From: Poff, Kevin
Sent: Friday, April 12, 2019 7:55 AM
To: Duffy, Jessica <Duffy.Jessica@epa.gov>
Cc: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Good Morning Jessica,

Ex. 5 Deliberative Process (DP)

Thanks and let us know as we are trying to keep as much work as we can within EPA.



Kevin Poff
 Chemist
 USEPA
 Environmental Science Center
 701 Mapes Road
 Fort Meade MD 20755
 410-305-2938

From: Duffy, Jessica
Sent: Thursday, April 11, 2019 4:17 PM
To: Poff, Kevin <Poff.Kevin@epa.gov>
Cc: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: FW: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Hi Kevin,
 Chris is [redacted] but I wanted to get this information to you quickly. It looks like the [redacted] **Ex. 5 Deliberative Process (DP)**
 [redacted] **Ex. 5 Deliberative Process (DP)** See highlights in Marcos' email below for additional information from our regional radiation advisor. Let us know if you have any questions or concerns.

Thank you,
Jessica Duffy
 On-Scene Coordinator
 USEPA Region 3
 SEMD – Preparedness and Response Branch
 1650 Arch Street (3SD32)
 Philadelphia, PA 19103
 Office: 215-814-3212
 Cell: 267-666-9251
duffy.jessica@epa.gov

From: Aquino, Marcos
Sent: Thursday, April 11, 2019 11:18 AM
To: Duffy, Jessica <Duffy.Jessica@epa.gov>; [redacted] <westonsolutions.com>; Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Moran, Kelly <Moran.Kelly@epa.gov>
Subject: RE: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Good morning Jess, Chris, [redacted] and Kelly),

Ex. 5 Deliberative Process (DP)

I conferred on this one with Kelly Moran in water division and she agrees. She is the rad rule person in water and my sounding board.

Ex. 5 Deliberative Process (DP)

Here is a note from Kelly on methods.

Ex. 5 Deliberative Process (DP)

Kelly, thanks for looking into this and all your help. Always appreciate it.

Let me know if you have any questions,

Regards,

Marcos Aquino
Radiation Program Manager
Air & Radiation Division
Partnership Programs & Grants Branch
US EPA Region 3
1650 Arch Street
Philadelphia, Pennsylvania 19103
(215) 814-3422 office
(215) 514-8357 mobile
aquino.marcos@epa.gov

From: Duffy, Jessica

Sent: Thursday, April 11, 2019 7:52 AM

To: Nonresponsive based on revised scope Ex. 6 Personal Privacy (PP); Wagner, Christine <Wagner.Christine@epa.gov>; Aquino, Marcos <Aquino.Marcos@epa.gov>

Subject: FW: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Chris,

Ex. 5 Deliberative Process (DP)

Jessica Duffy

On-Scene Coordinator
USEPA Region 3
SEMD – Preparedness and Response Branch
1650 Arch Street (3SD32)
Philadelphia, PA 19103
Office: 215-814-3212
Cell: 267-666-9251
duffy.jessica@epa.gov

From: Wagner, Christine

Sent: Thursday, April 11, 2019 7:47 AM

To: Poff, Kevin <Poff.Kevin@epa.gov>

Cc: R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>; Dodd, Jeff <dodd.jeff@epa.gov>; Nonresponsive based on revised scope

Nonresponsive based on revised scope Ex. 6 Personal Privacy (PP) Nonresponsive based on revised scope Ex. 6 Personal Privacy (PP) Duffy, Jessica <Duffy.Jessica@epa.gov>

Subject: RE: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE -

Kevin

Thank you for the input. I can answer some of your questions below and others I need to get some advice

Ex. 5 Deliberative Process (DP)

3 – Ok with extended TAT

4 – we will get you the QAPP

We will get back to you asap

Thank you

Chris

From: Poff, Kevin

Sent: Wednesday, April 10, 2019 8:50 AM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Cc: R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>; Dodd, Jeff <dodd.jeff@epa.gov>

Subject: CONSIDERATIONS FOR: CT8661 - SHILOH CHURCH ROAD SITE

Good Morning Chris and Weston,

Please take a very close look at the below response provided by NAREL our EPA laboratory in Alabama that completes radiological work. We would need a response quickly to enable a laboratory assignment to take place as the sampling event is rapidly approaching and is scheduled for 4/22.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

3. 45 DAY TAT can not be met. It will approach 60.

4. We will need a copy of the QAPP as well.

Thank you and please respond to the above 4 conditions of analysis.

Thanks !



Kevin Poff
Chemist

USEPA
Environmental Science Center
701 Mapes Road

Fort Meade MD 20755
410-305-2938

From: Hudson, Tonya
Sent: Wednesday, April 10, 2019 7:57 AM
To: Poff, Kevin <Poff.Kevin@epa.gov>; White, Cindy <White.Cindy@epa.gov>
Subject: RE: NAREL's CONSIDERATION: CT8661 - SHILOH CHURCH ROAD SITE -

Hey Kevin,

Ex. 5 Deliberative Process (DP)

Please let me know if the above bullet items are acceptable. If so, I will complete a Project Acceptance Form (PAF) and get it to you as soon as possible as the 22nd of April is only a week or so away.

Thanks,
Tonya

From: Poff, Kevin
Sent: Tuesday, April 09, 2019 1:08 PM
To: Hudson, Tonya <HUDSON.TONYA@epa.gov>; White, Cindy <White.Cindy@epa.gov>
Subject: NAREL's CONSIDERATION: CT8661 - SHILOH CHURCH ROAD SITE -

Hello Cindy and Tonya,

We sent out the above request for RAD analysis a couple days ago and we were wondering if you had a chance to take a look at the submitted and if there would be a possibility you guys could do the analysis. I sent Chris Wagner a request for the SAP for this site and have not heard back from her as yet. If there is anything I can help out with please let me know. Thank you !



Kevin Poff
Chemist
USEPA
Environmental Science Center
701 Mapes Road
Fort Meade MD 20755
410-305-2938

From: Poff, Kevin
Sent: Friday, April 5, 2019 8:16 AM

ED_013731B_00009190-00005

To: Hudson, Tonya <HUDSON.TONYA@EPA.GOV>; White, Cindy <WHITE.CINDY@EPA.GOV>

Cc: R3 ESC-CLIENTS <R3_ESCCLIENTS@EPA.GOV>; Dodd, Jeff <DODD.JEFF@EPA.GOV>

Subject: NAREL's CONSIDERATION: CT8661 - SHILOH CHURCH ROAD SITE -

For NAREL's Consideration

Ex. 5 Deliberative Process (DP)

Thank you for considering our request!



Kevin Poff
Chemist
USEPA
Environmental Science Center
701 Mapes Road
Fort Meade MD 20755
410-305-2938